

**Please check your submission one more time.**

---

Then scroll all the way down to the bottom of this page and click the button.

---

## **FACTORS CONTROLLING GRAIN SIZE DISTRIBUTION OF SEDIMENTS IN SOUTH CAROLINA PIEDMONT STREAMS NEAR GREENVILLE, SC**

**STRIKAS, Ona**, Department of Environmental Science and Public Policy, Harvard University, 24 Oxford St, Cambridge, MA 02138, [ostrikas@fas.harvard.edu](mailto:ostrikas@fas.harvard.edu), LOPEZ, Jonathan, Department of Science and Technology, Universidad Metropolitana, San Juan, PR 00928, ANDERSEN, C. Brannon, Earth and Environmental Sciences, Furman University, 3300 Poinsett Highway, Greenville, SC 29613, and HANEY, Dennis, Department of Biology, Furman Univ, 3300 Poinsett Highway, Greenville, SC 29613

Understanding how increases in urban land cover affect stream processes is an ongoing question in the fields of geology, geomorphology and biology. Increasing urbanization, with corresponding increases in impervious surface cover, change the hydrology of a watershed by increasing maximum discharge per unit rainfall during storm events. The increased maximum discharge should increase stream power and have an effect on sediment transport and grain size distribution. This study examined whether increased urbanization of headwaters in piedmont watersheds of South Carolina is reflected by the grain size distribution within a stream. Eleven stream reaches from four watersheds (1.2 to 8.5 km<sup>2</sup>) in the Enoree River basin were selected for study. Although the watersheds are characterized by similar precipitation and underlying high-grade metamorphic bedrock, land cover varies from 0% to 75% urban and impervious surface cover varies from 3% to 45%.

For each stream reach, sediment samples were collected from nine microhabitats (3 riffles, 3 pools, and 3 runs) between June and August 2006. Sediment samples were sieved using a standard ro-tap method with a 0.5 phi interval. Grain size statistics were determined using a method of moments analysis and distributions were analyzed using cumulative frequency plots. Results were statistically analyzed using one-way ANOVA, t-tests, and correlation techniques. In general, the coarsest sediments were in the riffles, followed by runs and then pools, but the differences were not statistically significant (mean grain size = -0.17 phi). All sediments range from moderately to very poorly sorted (average sorting of 1.49 phi). Coarser sediments were associated with increasing urban land cover and increasing impervious surface cover, though results were not statistically significant. No single factor explains the sediment differences across the eleven sample locations. Even gradient, which generally has a negative correlation with sediment coarseness, does not have a strong relationship with mean grain size ( $p = 0.23$ ,  $r = -0.45$ ; Pearson's correlation on inverse transformed data). Based on this data set, increasing urbanization does not appear to exert significant control on the grain size distribution in headwater streams of the South Carolina piedmont.

---

**Abstract ID#:** 119323

**Password:** 744755

**Meeting:** Southeastern Section-56th Annual Meeting (29-30 March 2007)

**Session Type:** Topical/Theme

**Selection:** T27 Hydrology, Ecology and Water Quality in Urban and Suburban Watersheds (Posters)

**Title:** FACTORS CONTROLLING GRAIN SIZE DISTRIBUTION OF SEDIMENTS IN SOUTH

CAROLINA PIEDMONT STREAMS NEAR GREENVILLE, SC

**Key Words:** urbanization, sediment distribution, geomorphology

**Presentation Format:** Poster

**Discipline Categories:** Sediments, Clastic, Environmental Geoscience (Ungraded)

**Scheduled For:**

**Abstract Submission Fee:** Not yet paid.

The meeting fee (\$10.00 for student presenters, \$10.00 for non-students) must be paid before this abstract will be considered for inclusion in this meeting.

**Based on what you have submitted, this is a student presentation and you will be charged \$10.00**

Continue the submission process or click 'PROOF/PAY' link in the Abstract Control Panel.

**First Author**

*Student Presenting*

Ona Strikas

(Undergraduate student)

Department of Environmental Science and Public Policy, Harvard University

24 Oxford St

Cambridge, MA 02138

**Office Phone:** 904.534.8304

**Email:** [ostrikas@fas.harvard.edu](mailto:ostrikas@fas.harvard.edu)

**Second Author**

Jonathan Lopez

(Undergraduate student)

Department of Science and Technology, Universidad Metropolitana

San Juan, PR 00928

**Office Phone:** 787-671-4476

**Email:** [alfredo\\_lcpr@hotmail.com](mailto:alfredo_lcpr@hotmail.com)

**Third Author**

C. Brannon Andersen

Earth and Environmental Sciences, Furman University

3300 Poinsett Highway

Greenville, SC 29613

**Office Phone:** 864-294-3366

**Email:** [brannon.andersen@furman.edu](mailto:brannon.andersen@furman.edu)

**Fourth Author**

Dennis Haney

Department of Biology, Furman Univ

3300 Poinsett Highway

Greenville, SC 29613

**Office Phone:** 864-294-2050

**Email:** [dennis.haney@furman.edu](mailto:dennis.haney@furman.edu)

---

**1. CHECK THAT:**

- Your abstract title is in **ALL CAPITAL LETTERS**.
- Your title does not end with a period.

**2. MAKE CORRECTIONS (IF NECESSARY):**

- Click any value in the Abstract Control Panel you want to change (e.g., Title, Author names)
- Edit the information and click the submit button.
- You can make changes up until the abstract deadline date.

**3. CLICK [HERE](#) TO PRINT THIS PAGE NOW.**

**4. ABSTRACT SUBMISSION FEE:** Not yet paid.

The meeting fee (\$10.00 for student presenters, \$10.00 for non-students) must be paid before this abstract will be considered for inclusion in this meeting.

**Based on what you have submitted, this is a student presentation and you will be charged \$10.00**

All information above is correct. Continue.

**If you are not able to access the online payment form by clicking the button above, or if you prefer not to use that form, you may send payment information [by fax](#).**